Construction Safety Nets – 4mm rope knotted types nets





4mm Knotted Type Safety Nets CODE :- BSP:01/4+12

- Border & Tie Cord Rope 12mm IS:5175:1992
- Inside Rope/ Mesh Rope 4mm IS:5175:1992
- Mesh size 100mm x 100mm Square/ 4"x4"
- Second Layer Overlay Containment Net of HDPE UV Stabilized Blue Net
- Fabricating Diamond type Knotted
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr Or 3 x 10 Mtr
- Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By as Per IS:11057:1984


(OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)



4mm Machine Made Knotted Type Safety Nets CODE:- BSP:02/4+12M

- Border & Tie Cord Rope 12mm IS:5175:1992
- Inside Rope/ Mesh Rope 4mm IS:5175:1992
- Mesh size 100mm x 100mm Square/ 4"x4"
- Second Layer Overlay Containment Net of HDPE UV Stabilized Blue Net
- Fabricating Heat treated machine made knotting
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr Or 3 x 10 Mtr
- Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By as Per IS:11057:1984
 (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)





4mm Knotted + Mono Nets Type Safety Nets CODE :- BSP:03/4+12MN

- Border & Tie Cord Rope 12mm IS:5175:1992
- Inside Rope / Mesh Rope 4mm IS:5175:1992
- Mesh size 100mm x 100mm Square/ 4"x4"
- Second Layer Monofilament UV Stabilized Net with Welding / Grinding Splatter Resistant Green/Red 120 GSM
- Fabricating Diamond type Knotted
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr Or 3 x 10 Mtr
- Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By as Per IS:11057:1984

(OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)





4mm Knotted Triple Layer Type Safety Nets CODE:- BSP:04/4+12T

- Border & Tie Cord Rope 12mm IS:5175:1992
- Inside Rope / Mesh Rope 4mm IS:5175:1992
- Mesh size 100mm x 100mm Square/ 4"x4"
- Second Layer Overlay Containment Net of HDPE UV Stabilized Blue Net
- **Third Layer** Monofilament UV Stabilized Net with Welding / Grinding Splatter Resistant Green/Red 120 GSM
- Fabricating Diamond type Knotted
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr Or 3 x 10 Mtr
- Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By as Per IS:11057:1984
 (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)

Construction Safety Nets – 6mm rope knotted & passing types nets






6mm Knotted Type Safety Nets CODE:- BSP:05/6+12K

- Border & Tie Cord Rope 12mm IS:5175:1992
- Inside Rope/ Mesh Rope 6mm IS:5175:1992
- Mesh size 100mm x 100mm Square/ 4"x4"
- Second Layer Overlay Containment Net of HDPE UV Stabilized Blue Net
- Fabricating Diamond type Knotted
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr Or 3 x 10 Mtr
 Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By as Per IS:11057:1984

(OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)






6mm Knotted + Mono Nets Type Safety Nets CODE :- BSP:06/6+12MN

Border & Tie Cord Rope - 12mm - IS:5175:1992

- Inside Rope/ Mesh Rope 6mm IS:5175:1992
- **Mesh size** 100mm x 100mm Square/ 4"x4"
- Second Layer Monofilament UV Stabilized Net with Welding / Grinding Splatter Resistant
- Green/Red 120 GSM
 - Fabricating Diamond type Knotted
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr Or 3 x 10 Mtr
- Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By as Per IS:11057:1984
- (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)





6mm Passing + Knotted Type Safety Nets CODE :- BSP:07/6+12PK

- Border & Tie Cord Rope 12mm IS:5175:1992
- Inside Rope/ Mesh Rope 6mm IS:5175:1992
- Mesh size 100mm x 100mm Square/ 4"x4"
- Second Layer Overlay Containment Net of HDPE UV Stabilized Blue Net
- Fabricating Passing With Knotted
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr Or 3 x 10 Mtr
 Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By as Per IS:11057:1984

(OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)





6mm Knotted Triple Layer Type Safety Nets CODE:- BSP:08/6+12T

- Border & Tie Cord Rope 12mm IS:5175:1992
- Inside Rope/ Mesh Rope 6mm IS:5175:1992
- **Mesh size** 100mm x 100mm Square/ 4"x4"
- Second Layer Overlay Containment Net of HDPE UV Stabilized Blue Net
- **Third Layer** Monofilament UV Stabilized Net with Welding / Grinding Splatter Resistant Green/Red 120 GSM
- Fabricating Diamond type Knotted
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr Or 3 x 10 Mtr
- Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By as Per IS:11057:1984
 (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)

Construction Safety Nets – 8mm rope knotted & passing types nets






8mm Passing Type Safety Nets CODE:- BSP:09/8+12P

- Border & Tie Cord Rope 12mm IS:5175:1992
- Inside Rope/ Mesh Rope 8mm IS:5175:1992
- Mesh size 100mm x 100mm Square/ 4"x4"
- Second Layer Overlay Containment Net of HDPE UV Stabilized Blue Net
- Fabricating Passing Type
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr Or 3 x 10 Mtr
- Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By as Per IS:11057:1984
 (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)





8mm Interlock Passing Type Safety Nets CODE:- BSP:10/8+12M

Border & Tie Cord Rope - 12mm - IS:5175:1992

- Inside Rope/ Mesh Rope 8mm IS:5175:1992
- **Mesh size** 100mm x 100mm Square/ 4"x4"
- Second Layer Monofilament UV Stabilized Net with Welding / Grinding Splatter Resistant
- Green/Red 120 GSM
- Fabricating Interlock Passing Type
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr Or 3 x 10 Mtr
- Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By as Per IS:11057:1984
 (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)





8mm Passing + Knotted Type Safety Nets CODE :- 11/8+12PK

- Border & Tie Cord Rope 12mm IS:5175:1992
- Inside Rope/ Mesh Rope 8mm IS:5175:1992
- Mesh size 100mm x 100mm Square/ 4"x4"
- Second Layer Overlay Containment Net of HDPE UV Stabilized Blue Net
- Fabricating Passing With Knotted
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr Or 3 x 10 Mtr
- Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By as Per IS:11057:1984

(OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)






8 mm Knotted Triple Layer Type Safety Nets CODE:- BSP:12/8+12P

- Border & Tie Cord Rope 12mm IS:5175:1992
- Inside Rope/ Mesh Rope 6mm IS:5175:1992
- Mesh size 100mm x 100mm Square/ 4"x4"
- Second Layer Overlay Containment Net of HDPE UV Stabilized Blue Net
- **Third Layer** Monofilament UV Stabilized Net with Welding / Grinding Splatter Resistant Green/Red 120 GSM
- Fabricating Passing With Knotted Type
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr Or 3 x 10 Mtr
- Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By as Per IS:11057:1984
 (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)

2.5mm HDPE Braided Safety Nets





2.5mm Braided Safety Nets (Single Layer - 25mm Mesh) CODE:- BSP:13/2.5+12BR

- Border & Tie Cord Rope 12mm IS:5175:1992
- Inside Twine/ Mesh Twine 2.5 mm HDPE Twine
- Mesh Size 25mm x 25mm Square
- Fabricating Heat treated machine made knotting
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr
- Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By EN-1263 (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)






2.5mm Braided Safety Nets (Double Layer - 25mm Mesh) CODE:- BSP:14/2.5+12BRD


- Border & Tie Cord Rope 12mm IS:5175:1992
- Inside Twine/ Mesh Twine 2.5 mm HDPE Twine
- Mesh Size 25mm x 25mm Square
- Second Layer Monofilament UV Stabilized Net with Welding / Grinding Splatter Resistant
- Green/Red 120 GSM
- Fabricating Heat treated machine made knotting
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr
- Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By EN-1263 (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)





2.5mm Braided Safety Nets (Single Layer - 30mm Mesh) CODE:- BSP:15/2.5+12BR

- Border & Tie Cord Rope 12mm IS:5175:1992
- Inside Twine/ Mesh Twine 2.5 mm HDPE Twine
- Mesh Size 30mm x 30mm Square
- Fabricating Heat treated machine made knotting
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size $5 \times 10 \text{ Mtr}$
- Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By as per EN-1263
 (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)






2.5mm Braided Safety Nets (Double Layer - 30mm Mesh) CODE:- BSP:16/2.5+12BRD

- Border & Tie Cord Rope 12mm IS:5175:1992
- Inside Twine / Mesh Twine 2.5 mm HDPE Twine
- Mesh Size 30mm x 30mm Square
- Second Layer Monofilament UV Stabilized Net with Welding / Grinding Splatter Resistant Green/Red 120 GSM
- Fabricating Heat treated machine made knotting
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr
- Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By as per EN-1263
 (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)





2.5mm Braided Safety Nets (Single Layer - 35mm Mesh) CODE:- BSP:17/2.5+12BR

- Border & Tie Cord Rope 12mm IS:5175:1992
- Inside Twine/ Mesh Twine 2.5 mm HDPE Twine
- Mesh Size 35mm x 35mm Square
- Fabricating Heat treated machine made knotting
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr
- Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By as per EN-1263 (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)






2.5mm Braided Safety Nets (Double Layer - 35mm Mesh) CODE:- BSP:18/2.5+12BRD

- Border & Tie Cord Rope 12mm IS:5175:1992
- Inside Twine/ Mesh Twine 2.5 mm HDPE Twine
- Mesh Size 35mm x 35mm Square
- Second Layer Monofilament UV Stabilized Net with Welding / Grinding Splatter Resistant Green/Red 120 GSM
- Fabricating Heat treated machine made knotting
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr
- Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By as per EN-1263
 (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)





2.5mm Braided Safety Nets (Single Layer - 50mm Mesh) CODE:- BSP:19/2.5+12BR

Border & Tie Cord Rope - 12mm - **IS:5175:1992**

- Inside Twine/ Mesh Twine 2.5 mm HDPE Twine
- Mesh Size 50mm x 50mm Square
- Fabricating Heat treated machine made knotting
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr
- Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By as per EN-1263
- (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)





2.5mm Braided Safety Nets (Double Layer - 50mm Mesh) CODE:- BSP:20/2.5+12BRD

- Border & Tie Cord Rope 12mm IS:5175:1992
- Inside Twine / Mesh Twine 2.5 mm HDPE Twine
- Mesh Size 50mm x 50mm Square
- Second Layer Monofilament UV Stabilized Net with Welding / Grinding Splatter Resistant Green/Red 120 GSM
- **Fabricating** Heat treated machine made knotting
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- **Standard Size** 5 x 10 Mtr
- Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By as per EN-1263
 (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)


5mm HDPE Braided Safety Nets





5mm Machine Made Braided Safety Nets CODE :- BSP:21/5+12

- Border & Tie Cord Rope 12mm IS:5175:1992
- Inside Rope/ Mesh Rope 5mm Braided Twine
- Mesh size -100mm x 100mm Square/ 4"x4"
- Second Layer Overlay Containment Net of HDPE UV Stabilized Blue Net
- Fabricating Heat treated machine made knotting
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr Or 3 x 10 Mtr
- Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By as Per EN-1263 (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)



5mm Machine Made Braided Safety Nets CODE:- BSP:22/5+12M

- Border & Tie Cord Rope 12mm IS:5175:1992
- Inside Rope/ Mesh Rope 5mm Braided Twine
- Mesh size 100mm x 100mm Square/ 4"x4"
- Second Layer Monofilament UV Stabilized Net with Welding / Grinding Splatter Resistant Green/Red 120 GSM
- Fabricating Heat treated machine made knotting
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr Or 3 x 10 Mtr
- Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By as per EN-1263 (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)





5mm Machine Made Braided Triple Safety Nets CODE:- BSP:23/5+12T

- Border & Tie Cord Rope 12mm IS:5175:1992
- Inside Rope/ Mesh Rope 5mm Braided Twine
- Mesh size 100mm x 100mm Square/ 4"x4"
- Second Layer Overlay Containment Net of HDPE UV Stabilized Blue Net 1mm Mesh 15x15mm
- **Third Layer** Monofilament UV Stabilized Net with Welding / Grinding Splatter Resistant Green/Red 120 GSM
- Fabricating Heat treated machine made knotting
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr Or 3 x 10 Mtr
- Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By as per EN-1263 (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)





5mm Machine Made Braided Triple Safety Nets CODE:- BSP:24/5+12TB

- Border & Tie Cord Rope 12mm IS:5175:1992
- Inside Rope/ Mesh Rope 5mm Braided Twine
- Mesh size 100mm x 100mm Square/ 4"x4"
- **Second Layer** 2.5mm Braided Mesh 25mmx25mm
- Third Layer Monofilament UV Stabilized Net with Welding / Grinding Splatter Resistant
- Green/Red 120 GSM
- Fabricating Heat treated machine made knotting
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr Or 3 x 10 Mtr
- Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By as per EN-1263
 (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)

Vertical Type Safety Nets Scaffolding Safety Nets / Monofilaments Safety Nets / Agro Shade Nets





Vertical 15 ply Double Layer Safety Nets CODE:- BSP:25/15+12

- Border & Tie Cord Rope 12mm IS:5175:1992
- Inside Twine / Mesh Twine 1.00mm Dia 15 Ply
- Mesh Twine size 15mm x 15mm Diamond
- Second Layer Monofilament UV Stabilized Net with Welding / Grinding Splatter Resistant Green/Red 120 GSM
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr Or 3 x 10 Mtr
 (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)





Vertical 24 ply Double Layer Safety Nets CODE:- BSP:26/24+12


- Border & Tie Cord Rope 12mm IS:5175:1992
- Inside Twine/ Mesh Twine 1.5 mm Dia 24 Ply
- Mesh Twine size 10mm x 10mm Diamond
- Second Layer Monofilament UV Stabilized Net with Welding / Grinding Splatter Resistant Green/Red 120 GSM
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr Or 3 x 10 Mtr
 (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)





Vertical Curtain Net panel with reinforcement

- First Layer Monofilament UV Stabilized Net with Welding / Grinding Splatter Resistant
- Second Layer Monofilament UV Stabilized Net with Welding / Grinding Splatter Resistant
- Reinforcement 20 mm Dia semi-flexible PVC Pipe across the width at every interval of 1 mtr
- Border Rope 4 mm Border Rope with non-corrosive riveting at every interval of 1 mtr. throughout border
- Color Options available (Green, Blue, Yellow, red)
- Size of Panel With 3 Mtr Length: 9 Mtr
 (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)





HDPE Monofilamnets Shade Nets 100 GSM

- Category Scaffolding Nets /Monofilament Nets
- Shade Factor 50%
- Material 100% Virgin HDPE With UV treated
- Yarn Multifilament Yarn
- Standard Size 5 Mtr x 50 mtr/ 3 Mtr x 50 Mtr
- **GSM** 95-100 (Tolerance 5% -/+)
- Standard As Per IS:16008:2012
- Color Options available (Green, Blue, Yellow, red)
 (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)





HDPE Monofilamnets Shade Nets 120 GSM

- Category Scaffolding Nets /Monofilament Nets
- Shade Factor 50%
- Material 100% Virgin HDPE With UV treated
- Yarn Multifilament Yarn
- Standard Size 5 Mtr x 50 mtr/ 3 Mtr x 50 Mtr
- **GSM** 115-120 (Tolerance 5% -/+)
- Standard As Per IS:16008:2012
- Color Options available (Green, Blue, Yellow, red)
 (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)





Agro Green Shade Nets 50%

- Category Warf Fabric Net /Agro Shade net
- Shade Factor 50%
- Material 100% Virgin HDPE With UV treated
- Yarn Flat Tape + Tape Yarn
- **Size** 3 Mtr x 50 Mtr
- **GSM** 60 (Tolerance +/- 5%)
- Standard As Per IS:16008:2012
 Color Options available (Green, Blue, Yellow, red)

(OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)





Agro Green Shade Nets 75%

- Category Warf Fabric Net /Agro Shade net
- Shade Factor 75%
- Material 100% Virgin HDPE With UV treated
- Yarn Flat Tape + Tape Yarn
- **Size** 3 Mtr x 50 Mtr
- GSM 100 (Tolerance +/- 5%)
- Standard As Per IS:16008:2012
 Color Options available (Green, Blue, Yellow, red)
 (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)





Agro Green Shade Nets 90%

- Category Warf Fabric Net /Agro Shade net
- Shade Factor 90%
- Material 100% Virgin HDPE With UV treated
- Yarn Flat Tape + Tape Yarn
- **Size** 3 Mtr x 50 Mtr
- **GSM** 135 (Tolerance +/- 5%)
- Standard As Per IS:16008:2012
 Color Options available (Green, Blue, Yellow, red)
 (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)

Industrial Safety Nets





2mm Double Cord Safety Nets

- Border & Tie Cord Rope 12mm IS:5175:1992
- Inside Rope / Mesh Rope 2mm HDPE Twine
- Mesh Size 25mm 35mm Diamond Type
- Fabricating Diamond type Knotted
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr
- Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By as Per IS:11057:1984

(OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)






2mm Double Cord Double Layer Safety Nets

- Border & Tie Cord Rope 12mm IS:5175:1992
- Inside Rope / Mesh Rope 2mm HDPE Twine
- Mesh Size 25mm 35mm Diamond Type
- Second Layer Overlay Containment Net of HDPE UV Stabilized Blue Net
- Fabricating Diamond type Knotted
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 x 10 Mtr
- Standard/ Approved P.P. Rope Certified to IS:5175:1992 & Safety Net Made By as Per IS:11057:1984

(OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)





Cargo Safety Nets

- Border & Tie Cord Rope 16mm/18mm/20mm & 24mm IS:5175:1992
- Inside Rope/ Mesh Rope 12mm/16mm/18mm/20mm & 24mm IS:5175:1992
- Mesh Size 6 Inch x 6 Inch / 10 Inch x 10 Inch
- Fabricating Interlock Passing Types
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard/ Approved P.P. Rope Certified to IS:5175:1992 (OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)





Scramble Nets Technical Specification of Scramble Net

- Material Polyamide Multifilament Rope as per IS 4572 1992 (BIS Mark)
 Or Polypropylene Rope IS:5175:1992 BIS Mark
- Rope Diameter 18.0 mm/ 20mm
- Mesh Size 250 mm X 250 mm
- FRP Core size (Minimum) 50 mm OD & 40 mm ID. Additional reinforcement shall be provided for Scramble net having length more than 20 meter.
- Float size 190 mm X 150 mm X 55 mm hole.
- Construction
 - a) Plastic covered FRP core at 4 m interval with minimum three float. Floats should not come in same mesh in subsequent core. No float required in last two cores.
 - b) Total 3 hooks having spring loaded lock arrangements with D- Shackle shall be provided.

(OPTIONS OF CUSTOMIZED SIZES ARE ALSO AVAILABLE)